

S/N 10/039,117

Page 2

CISCO-4681

AMENDMENT(S) TO THE CLAIMS:

The following listing of claims will replace all prior versions, and listings, of claims on the application. All claims are set forth below with one of the following annotations.

- (Original): Claim filed with the application.
- (Currently amended): Claim being amended in the current amendment paper.
- (Canceled): Claim cancelled or deleted from the application. No claim text is shown.
- (Withdrawn): Claim still in the application, but in a non-elected status.
- (New): Claim being added in the current amendment paper.
- (Previously presented): Claim added or amended in an earlier amendment paper.
- (Not entered): Claim presented in a previous amendment, but not entered or whose entry status unknown. No claim text is shown.

1-3. (Cancelled).

4. (Currently amended) ~~The method of claim 3~~ A method for detecting start of a frame, said method comprising:

processing a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble; wherein said processing comprises:

cross-correlating said received signal with said known preamble to develop a cross-correlation signal; and

filtering said cross-correlation signal, wherein filtering said cross-correlation signal comprises:

cross-correlating said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1;

S/N 10/039,117

Page 3

CISCO-4681

searching for an indication of strong cross-correlation between said received signal and said preamble using said cross-correlation information; and

registering start of said frame upon detection of said indication.

5. ² (Currently amended) The method of ~~claim 2~~ ¹ ~~claim 4~~, wherein processing said received signal further comprises:

non-linearly processing the result of said cross-correlating said cross-correlation signal information prior to said searching.

6. ³ (Currently amended) The method of ~~claim 5~~ ² wherein said non-linearly processing ~~said cross-correlation information~~ comprises:

squaring the result of said cross-correlating said cross-correlation signal.

7.-10. (Cancelled).

11. ⁴ (Currently amended) ~~The apparatus of claim 10~~ Apparatus for synchronizing to a frame, said apparatus comprising:

a cross-correlation system that processes a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble; and

a synchronization signal generation block that searches for an indication of strong cross-correlation between said received signal and said preamble using said cross-correlation information and provides a synchronization signal responsive to said indication,

wherein said cross-correlation system cross-correlates said received signal with said known preamble to develop a cross-correlation signal, and wherein said cross-correlation system comprises a filter that filters said cross-correlation signal,

wherein said filter comprises:

a cross-correlation block that cross-correlates said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1.

S/N 10/039,117

Page 4

CISCO-4681

12. ⁵ (Currently amended) The apparatus of ~~claim 9~~ ⁴ ~~claim 11~~, wherein said cross-correlation system further comprises:

a non-linear processing element that non-linearly processes the output of said cross-correlation information block.

13. ⁶ (Currently amended) The apparatus of ~~claim 12~~ ⁵ wherein said non-linear processing element squares the output of said cross-correlation signal block.

14. (Cancelled).

15. ⁷ (Currently amended) ~~Apparatus~~ An apparatus for detecting start of a frame, said apparatus comprising:

means for processing a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble, said means for processing including:

means for cross-correlating said received signal with said known preamble to develop a cross-correlation signal; and

means for filtering said cross-correlation signal, wherein said means for filtering said cross-correlation signal comprises:

means for cross-correlating said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1;

means for searching for an indication of strong cross-correlation between said received signal and said preamble using said cross-correlation information; and

means for registering start of a frame upon detection of said indication.

16. ⁸ (Currently amended) Apparatus for synchronizing to a frame said apparatus comprising:

means for cross-correlating a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble, said means for processing including:

S/N 10/039,117

Page 5

CISCO-4681

means for cross-correlating said received signal with said known preamble to develop a cross-correlation signal; and

means for filtering said cross-correlation signal, wherein said means for filtering said cross-correlation signal comprises:

means for cross-correlating said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1; and

means for searching for an indication of strong cross-correlation between said received signal and said preamble using said cross-correlation information and providing a synchronization signal responsive to said indication.

17.-19. (Cancelled).

20. (Currently amended) ~~The product of claim 19~~ A computer program product for detecting start of a frame, said product comprising:

code that processes a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble, wherein said code that processes said received signal comprises:

code that cross-correlates said received signal with said known preamble to develop a cross-correlation signal; and

code that filters said cross-correlation signal, wherein said code that filters said cross-correlation signal comprises:

code that cross-correlates said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1;

code that searches for an indication for a strong cross-correlation between said received signal and said preamble using said cross-correlation information;

code that registers start said frame upon detection of said indication; and

a computer-readable storage medium that stores the codes.

S/N 10/039,117

Page 6

CISCO-4681

21.¹⁰ (Currently amended) The product of ~~claim 18~~ ⁹ ~~claim 20~~ wherein said code that processes said received signal further comprises:

code that non-linearly processes the result of cross-correlating said cross-correlation information signal prior to searching by said code that searches.

22.¹¹ (Currently amended) The product of ~~claim 21~~ ¹⁰ wherein said code that non-linearly processes the result of cross-correlating said cross-correlation information signal comprises:

code that squares the result of cross-correlating said cross-correlation signal.

23.-26 (Cancelled).

27.¹² (Currently amended) ~~The product of claim 26~~ A computer program product for synchronizing to a frame, said computer program product comprising:

code that cross-correlates a received signal with a known preamble to obtain cross-correlation information for said received signal and said known preamble, wherein said code that cross-correlates comprises:

code that cross-correlates said received signal with said known preamble to develop a cross-correlation signal; and

code that filters said cross-correlation signal, wherein said code that filter filters comprises:

code that cross-correlates said cross-correlation signal with M-1 "0"s and 1 "1" N times wherein M is a number of samples in a symbol within said preamble and N is greater than or equal to 1;

code that searches for an indication for a strong cross-correlation between said received signal and said preamble using said cross-correlation information and provides a synchronization signal responsive to said indication; and

a computer-readable storage medium that stores the codes.

28.¹³ (Currently amended) The product of ~~claim 25~~ ¹² ~~claim 27~~, wherein said code that cross-correlates further comprises:

S/N 10/039,117

Page 7

CISCO-4681

code that non-linearly processes the result of cross-correlating said cross-correlation ~~information~~ signal.

14
29. (Currently amended) The product of claim 28 wherein said code that non-linearly processes the result of cross-correlating said cross-correlation ~~information~~ signal squares the result of cross-correlating said cross-correlation signal.

30. (Cancelled).